

one 8/29/02

Attorney Docket No.: 5694.200-US

PATENT

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: Flodgaard et al.

Serial No.: 09/559,764

Group Art Unit: 1644

Filed: April 27, 2000

Examiner: Jessica H. Roark

Confirmation No: 2707

For: Inhibition Of Bradykinin Release

## DECLARATION UNDER 37 C.F.R. 1.132

Commissioner for Patents  
Washington, DC 20231

Sir:

I, Thomas Renné do declare that

1. I am a collaborator but not an inventor of one of the inventors, Dr. Hans J. Flodgaard. My Curriculum Vitae is attached.
2. I have reviewed the application and Office Action issued in connection with the above-referenced application. In particular, I have reviewed the section of the Office Action on page 4 which states:
3. The experiments described below address this issue and were done under my direction and in collaboration with Dr. Hans Flodgaard.
4. To analyze the binding of HBP to kininogen, high molecular weight kininogen (HK) competition assays were performed. Heparan sulfate (HS) was covalently immobilized on microtiter wells (A, C, D) and competition assays with biotinylated HK (biot-HK) (10 nM) as probe were performed. Biot-HK bound to these 'artificial cell surfaces' was detected with a streptavidin point of detection (POD) detection system and quantified photometrically.

SENT BY: LEUKOTECH;

38176878;

28-AUG-02 10:22;

PAGE 2/5

RECEIVED: 28/ 8/02 10:08; LEUKOTECH: 3800; PAGE 2

29/08/2002 18:14 49-931-28136313

HAUPTLABOR

5. 02/05

5. The following experimental procedure was used for the HK competition assays. For all *in vitro* competition analyses, 250 µg/ml HS was covalently immobilized to CovaLink™ microtiter plates (Nunc, Wiesbaden, Germany) using 0.05 M N-hydroxysuccinimide (NHS, Pierce, St. Augustin, Germany) and 0.2 M 1-ethyl-3-(3-dimethylaminopropyl)-carbodiimide (EDC, Pierce) for the coupling procedure as described (Renne, T., et al., J. Biol. Chem. 275:33688). Biot-HK (10 nM) was incubated together with a serial 1:2 dilution, of the GAG binding proteins HBP, heparin rich glycoprotein (HRG), FXII or casein (starting concentration 1 µM). Incubation was done in HEPES-Tyrode's buffer, (HT) with 1 % (m/v) bovine serum albumin (BSA) supplemented with 10 µM ZnCl<sub>2</sub>, respectively. Specifically bound biot-HK was detected by the preformed biotin-streptavidin-peroxidase complex (2 µg/ml; Boehringer Mannheim, Germany) followed by chromogenic substrate 0.15% (w/v) diammonium 2,2'-azido-bis-(3-ethyl-2,3-dihydrobenzthiazoline-6-sulfonate) (ABTS).
6. The Results are shown in the attached Figure. The insert at the top of A depicts the setup of the assay: the filled triangle symbolizes the competitor, the filled triangle at the top of the stem, the covalently immobilized HS and the open polygon represents Biot-HK. Similar results were obtained when the assay was performed on confluent EA.hy926 cells (B). The experimental setup is identical as (A); the open ellipse symbolizes the endothelial cells. (A, B) GAG binding proteins HBP (□), HRG (○), FXII (Δ) applied in a serial 1:2 dilution series (starting from 20 µM) competed with biot-HK for binding to HS whereas casein (■) failed to detach HK.
7. These results do indicate that HBP displaces HK assembled on the surface of immobilized heparan sulfate or endothelial cells better than histidine-rich glycoprotein, factor XII or HK itself.
8. I declare further that all statements made in this Declaration of my own knowledge are true and that all statements made on information and belief are believed to be true and

08/29/2002 17:15 9147120094

CHERYLHAGRI PHD

PAGE 06

SENT BY: LEUKOTECH;

39179879;

29-AUG-02 10:23;

PAGE 3/5

RECEIVED BY: 08/29/02, TELETYPE; 08/29/02; PAGE 3

29/08/2002 10:14 49-931-28136313

HAUPTLABOR

S. 03/05

further, that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.

Date: 28.9.'02

Thomas Renne  
DR. THOMAS RENNE

~~Dr. Thomas Renne~~~~Institut für Klinische Biochemie und Pathobiochemie~~**LEBENS LAUF****ANGABEN ZUR PERSON**

**Name:** Dr. rer.nat. Thomas Renne  
**Beruf:** Diplom-Chemiker und Arzt im Praktikum  
**Geburtsdatum, -ort:** 1.1.1969, Kusel  
**Dienststelle:** Institut für Klinische Biochemie und Pathobiochemie  
Leiter: Prof. Dr. U. Walter  
Klinikum der Bayerischen Julius-Maximilians-Universität Würzburg  
Josef-Schneider-Str. 2  
97080 Würzburg  
Tel.: 0931-201-36116  
Fax: 0931-201-36313  
thomas@renne.net  
**Privatadresse:** Wagnerstraße 18  
97080 Würzburg  
Tel.: 0931-4529071

**AUSBILDUNG**

07/1975-07/1979 Grundschole Staudernheim.  
08/1979-06/1988 Staatliches Gymnasium Sobernheim, Abitur  
07/1988-09/1989 Wehrdienst beim JaBoG 35 Pfandsfeld.  
10/1989 Beginn des Medizinstudiums an der Johannes Gutenberg-Universität Mainz.  
10/1990-07/1994 Chemiestudium an der Johannes Gutenberg-Universität Mainz (Studiendauer 8 Semester).  
08/1994-08/1995 Diplomarbeit "Lokalisation einer H-Kininogen Bindungsstelle in der schweren Kette von Kallikrein" am Institut für Physiologische Chemie und Pathobiochemie, Universität Mainz (Prof. Dr. W. Müller-Esterl).  
08/1995 Diplom Chemie  
09/1995-02/1999 Promotionsarbeit am Institut für Physiologische Chemie und Pathobiochemie (Prof. Dr. W. Müller-Esterl) mit dem Thema "Molekulare Mechanismen Kinin-generierender Systeme".  
08/1996 1. Staatsexamen Humanmedizin (Note: befriedigend).  
07/1999 Promotion Chemie  
03/1999-12/2001 "PostDoc" am Institut für Biochemie II, Klinikum der Johann Wolfgang Goethe-Universität Frankfurt (Prof. Dr. W. Müller-Esterl).

SENT BY: LEUKOTECH;

39179679;

29-AUG-02 10:23;

PAGE 5/5

29/08/2002 10:14

49-931-20136313

HAUPTLABOR

S. 05/05

Dr. Thomas BrandInstitut für Klinische Biochemie, Uniklinikum Würzburg

Projekt: "Freisetzung von Bradykinin bei Entzündungen und im Rahmen der Hämostase".

08/2000

2. Staatsexamen Humanmedizin.

10/2000-10/2001

Praktischen Jahres am Klinikum der Johannes Gutenberg-Universität Mainz.

11/2001

3. Staatsexamen Humanmedizin.

01/2002

Arzt im Praktikum am Institut für Klinische Biochemie und Pathobiochemie der Bayerischen Julius-Maximilians-Universität Würzburg (Prof. Dr. U. Walter)

**AUSLANDSAUFENTHALTE**

08/1992-03/1993

Kyoto University, Kyoto, Japan, Department of Bioorganic Chemistry (Prof. Dr. H. Ogoshi).

02/2001-06/2001

Vanderbilt University, Nashville, TN, USA, Hematology Division (Prof. Dr. D. Gailani).

29.9.2002.



